



"from metadata" input interpret invoke

1970

- 2003

Search

Adv  
Sci  
Sci

Scholar

Results 1 - 10 of about 11 for "**from metadata**" **input interpret invoke**. (0.05 seconds)

Using metadata for the intelligent browsing of structured media

[All articles](#) [Recent articles](#)

objects - group of 4 »

WI Grosky, F Fotouhi, IK Sethi, B Capatina - ACM SIGMOD Record, 1994 - portal.acm.org

... part of a testbed for image **interpretation** re- searchers ... will allow navigation to be initiated **from metadata** in the ... 2]. Given a feature of the **input** image, the ...

[Cited by 27](#) - [Web Search](#) - [BL Direct](#)

Towards the Geographic Metadata Standard Interoperability

J Lacasta, J Nogueras-Iso, MP Torres, FJ Zarazaga- ... - Proc. of the 6th AGILE Conference, Lyon (France), 2003 - agile-secretariat.org

... the data process and **interpret** data, incorporate ... can be provided according to the different families **from metadata**. ... information represented in the **input** document. ...

[Cited by 3](#) - [View as HTML](#) - [Web Search](#)

A ticket-based access control architecture for object systems - group of 3 »

J Hale - Journal of Computer Security, 2000 - IOS Press

... Subclasses and instances inherit locks and keys **from metadata** templates in ... Physicians are not permitted to **invoke** the method outside this role (eg, when they ...

[Cited by 3](#) - [Web Search](#) - [BL Direct](#)

A CODE GENERATION APPROACH TO SUPPORT DYNAMIC WORKFLOW MANAGEMENT

X LIU - 2001 - purl.fcla.edu

... It is lightweight because the Workflow Engine does not need the logic to **interpret** the activity specification in order to determine how to bind the e-service ...

[View as HTML](#) - [Web Search](#)

JUN WANG

EA Fox-Chairman - 2002 - scholar.lib.vt.edu

... One is free format; tools in this category can take any type of data as **input** and visualize them in general ways, but have weaker visualization effects. ...

[View as HTML](#) - [Web Search](#)

[PS] Constraint-Based Updates in a Functional Data Model Database

SM Embury - 1994 - csd.abdn.ac.uk

... turn, using the resulting database state from one execution as the **input** ... semantic integrity constraints and the **interpretation** of the data generally requires a ...

[Cited by 3](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Iterative reengineering of legacy systems - group of 3 »

A Bianchi, D Caivano, V Marengo, G Visaggio - Software Engineering, IEEE Transactions on, 2003 - ieeexplore.ieee.org

... the Data Banker has retrieved **from Metadata**, will require ... package, which manages data **input/output**; and ... phase involves identification and **interpretation** of the ...

[Cited by 14](#) - [Web Search](#) - [BL Direct](#)

[BOOK] Mobile Agents for Telecommunication Applications

A Karmouch, T Magedanz, J Delgado - 2002 - books.google.com

Page 1. 4th International Workshop, MATA2002 Barcelona, Spain, October 2002  
Proceedings 0 Page 2. Lecture Notes in Computer Science Edited ...  
[Cited by 1](#) - [Web Search](#) - [Library Search](#)

**INFORMATION BROKERING OVER HETEROGENEOUS DIGITAL DATA: A METADATA-BASED APPROACH - group of 5 »**

V KASHYAP - 1997 - [cgsb2.nlm.nih.gov](#)

... belong to a wide spectrum and may range **from metadata** independent of the data ...  
(re)**interpretation** and decomposition of the information/query and (re)formatting ...

[Cited by 15](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

**docj A Dynamic Architecture for Distributing Geographic Information Services on the Internet**

MH Tsou - 2001 - [geography.sdsu.edu](#)

... data, including data **input**, storage, retrieval ... access, cleaning, processing,  
**interpretation**, presentation, and ... client program to dynamically **invoke** methods of ...

[Cited by 5](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Google ►

Result Page: 1 2 **Next**

"from metadata" input interpret invo

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"from metadata" input interpret invoke

1970

- 2003

Search

Ad  
Sci  
Sci

Scholar

Results 11 - 11 of 11 for "from metadata" input interpret invoke. (0.10 seconds)

[\[book\] Rules and Rule Markup Languages for the Semantic Web:  
Second International Workshop, Ruleml 2003, ...](#)

[All articles](#) [Recent articles](#)

G Wagner - 2003 - books.google.com

... This fact representation thus requires users and applications (eg, XSLT) to 'store'  
the correct **interpretation** of the three arguments separately, and any ...

[Web Search](#)



Result Page: [Previous](#) [1](#) [2](#)

"from metadata" input interpret invo

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google